






	Nr katalogowy	D mm	d mm	L mm	t mm	T mm	 kg
17	9-17	33	54	59	10	30	0,72
18	9-18	34	54	59	11	30	0,63
19	9-19=3/4	35	54	59	11	27	0,63
20	9-20	36	54	59	12	30	0,62
21	9-21	36	54	59	12	27	0,67
22	9-22	37	54	59	12	27	0,66
23	9-23	38	54	59	14	27	0,64
24	9-24	38	54	59	14	27	0,62
25	9-25	41	54	59	14	30	0,64
26	9-26	43	54	59	15	27	0,63
27	9-27=1 1/16	44	54	59	16	27	0,65
28	9-28	47	54	61	16	29	0,68
29	9-29	47	54	61	17	29	0,68
30	9-30=1 3/16	50	54	61	17	29	0,69
31	9-31	50	54	61	17	32	0,67
32	9-32	52	54	61	19	29	0,68
33	9-33	54	54	61	19	29	0,69
34	9-34	54	54	61	20	29	0,67
35	9-35=1 3/8	57	54	65	20	33	0,79
36	9-36	57	54	65	20	33	0,79
37	9-37	58	54	65	21	33	0,80
38	9-38=1 1/2	59	54	65	21	33	0,82
39	9-39	59	54	65	22	34	0,74
40	9-40	61	54	65	22	34	0,80
41	9-41	63	54	70	23	38	0,95
42	9-42	64	54	70	23	38	0,97
43	9-43=1 11/16	64	54	70	24	40	0,95
44	9-44	67	54	70	24	38	1,00
45	9-45	68	54	70	25	38	1,00
46	9-46=1 13/16	69	54	75	25	42	1,12
47	9-47	71	54	75	26	43	1,18
48	9-48	72	54	75	26	43	1,20
49	9-49	73	54	75	28	46	1,16
50	9-50	75	54	80	28	48	1,36
51	9-51	76	54	80	30	51	1,38
52	9-52	78	54	80	30	48	1,45
53	9-53	79	62	83	30	54	1,79
54	9-54	80	62	83	30	54	1,78
55	9-55	81	62	83	30	50	1,74
56	9-56	82	62	83	30	52	1,78
57	9-57	85	62	83	30	54	1,88
58	9-58	86	62	83	30	54	1,84



	Nr katalogowy	D mm	d mm	L mm	t mm	T mm	 kg
60	9-60	87	62	83	33	52	1,80
61	9-61	88	62	83	33	54	1,84
62	9-62	91	62	86	35	53	2,07
63	9-63	92	62	86	35	53	2,08
64	9-64	92	62	86	35	53	2,04
65	9-65=2 9/16	94	62	86	35	54	2,10
66	9-66	95	62	86	38	52	2,13
70	9-70=2 3/4	100	62	86	38	54	2,27
71	9-71	102	76	86	38	50	2,72
74	9-74	106	76	86	38	50	2,85
75	9-75	107	76	86	38	54	2,87
76	9-76	108	76	86	38	49	2,92
77	9-77	109	76	86	38	49	1,08
80	9-80	113	76	90	38	58	3,42
82	9-82	115	76	90	38	51	3,30
84	9-84	116	76	90	38	51	3,25
85	9-85	117	76	90	38	58	3,46
87	9-87	120	76	90	38	50	3,41
88	9-88	120	76	90	38	50	3,35
90	9-90	124	76	100	45	67	4,30
94	9-94	128	76	100	45	58	4,13
95	9-95=3 3/4	129	76	100	45	66	4,40
96	9-96	132	76	100	45	57	4,40
100	9-100	136	76	100	45	65	4,50
105	9-105=4 1/8	142	76	100	50	55	4,75
110	9-110	147	76	100	50	53	4,91
115	9-115	153	76	100	50	52	5,20
120	9-120	161	76	100	50	50	5,69

19	9-19=3/4L	35	54	100	11	71	1,30
21	9-21L	36	54	100	12	71	1,31
22	9-22L	37	54	100	12	71	0,88
23	9-23L	38	54	100	14	68	0,88
24	9-24L	38	54	100	14	68	0,89
25	9-25L	41	54	100	14	71	1,29
26	9-26L	43	54	100	15	71	0,99
27	9-27=1 1/16L	44	54	100	16	68	0,99
28	9-28L	47	54	100	16	68	1,07
29	9-29L	47	54	100	17	71	1,03
30	9-30=1 3/16L	50	54	100	17	68	1,15
31	9-31L	50	54	100	17	71	1,20
32	9-32L	52	54	100	19	68	1,17






	Nr katalogowy	D mm	d mm	L mm	t mm	T mm	 kg
33	9-33L	54	54	100	19	68	1,19
34	9-34L	54	54	100	20	68	1,13
35	9-35=1 3/8L	57	54	100	20	68	1,25
36	9-36L	57	54	100	20	68	1,18
37	9-37L	58	54	100	21	68	1,26
38	9-38=1 1/2L	59	54	100	21	67	1,32
39	9-39L	59	54	100	22	69	1,30
40	9-40L	61	54	100	22	69	1,33
41	9-41L	63	54	100	23	67	1,41
42	9-42L	64	54	100	23	67	1,44
43	9-43=1 11/16L	64	54	100	24	67	1,46
44	9-44L	67	54	115	24	83	1,97
45	9-45L	68	54	115	25	83	1,98
46	9-46=1 13/16L	69	54	115	25	82	1,85
47	9-47L	71	54	115	26	83	1,93
48	9-48L	72	54	115	26	86	1,94
49	9-49L	73	54	115	28	86	1,16
50	9-50L	75	54	125	28	93	2,22
51	9-51L	76	54	125	30	96	2,26
52	9-52L	78	54	125	30	93	2,38
55	9-55L	81	62	125	30	93	2,67
56	9-56L	82	62	125	30	93	2,80
57	9-57L	85	62	125	30	96	2,80
60	9-60L	87	62	125	33	93	2,90
65	9-65=2 9/16L	94	62	135	35	105	3,63
70	9-70=2 3/4L	100	62	135	38	105	3,83
75	9-75L	107	76	135	38	105	4,80
80	9-80L	113	76	140	38	108	5,15
85	9-85L	117	76	140	38	100	5,90
90	9-90L	124	76	140	45	99	5,74
95	9-95=3 3/4L	129	76	140	45	98	5,83



Tabellerna ovan visar artiklar ur Momentos standardsortiment. Momento tillverkar också specialverktyg för enskilda kunders unika behov.



The tables above show products from Momento's standard range. Momento also manufacture special tools to meet individual customers' requirements.

Die Tabellen oben zeigen Produkte aus dem Standardprogramm von Momento. Momento bietet auch Sonderherstellung an.






	Nr katalogowy	D mm	d mm	L mm	t mm	T mm		kg
	3/4 9-19=3/4	35	54	59	11	27		0,63
	13/16 9-13/16	36	54	59	12	30		0,65
	7/8 9-7/8	37	54	59	12	27		0,66
	15/16 9-15/16	38	54	59	14	27		0,62
	1 9-1	41	54	59	14	27		0,64
	1 1/16 9-27=1 1/16	44	54	59	16	27		0,65
	1 1/8 9-1 1/8	47	54	59	16	29		0,68
	1 3/16 9-30=1 3/16	50	54	61	17	29		0,69
	1 1/4 9-1 1/4	52	54	61	19	29		0,68
	1 5/16 9-1 5/16	54	54	61	19	29		0,69
	1 3/8 9-35=1 3/8	57	54	65	20	33		0,79
	1 7/16 9-1 7/16	58	54	65	21	33		0,78
	1 1/2 9-38=1 1/2	59	54	65	21	33		0,82
	1 9/16 9-1 9/16	61	54	65	22	33		0,86
	1 5/8 9-1 5/8	63	54	70	23	38		0,95
	1 11/16 9-43=1 11/16	64	54	70	24	40		0,95
	1 3/4 9-1 3/4	67	54	70	24	40		1,02
	1 13/16 9-46=1 13/16	69	54	75	25	42		1,12
	1 7/8 9-1 7/8	72	54	75	26	43		1,21
	1 15/16 9-1 15/16	73	54	75	28	43		1,30
	2 9-2	76	54	80	30	48		1,40
	2 1/16 9-2 1/16	78	54	80	30	48		1,45
	2 1/8 9-2 1/8	80	62	83	30	50		1,70
	2 3/16 9-2 3/16	82	62	83	30	52		1,80
	2 1/4 9-2 1/4	85	62	83	30	52		1,88
	2 5/16 9-2 5/16	86	62	83	30	52		1,90
	2 3/8 9-2 3/8	87	62	83	33	52		1,80
	2 7/16 9-2 7/16	91	62	86	35	53		2,00
	2 1/2 9-2 1/2	92	62	86	35	53		2,00
	2 9/16 9-65=2 9/16	94	62	86	35	54		2,10
	2 5/8 9-2 5/8	96	62	86	38	54		2,28
	2 11/16 9-2 11/16	99	62	86	38	54		2,35
	2 3/4 9-70=2 3/4	100	62	86	38	54		2,27
	2 13/16 9-2 13/16	102	76	86	38	54		2,68
	2 7/8 9-2 7/8	104	76	86	38	54		2,90
	2 15/16 9-2 15/16	107	76	86	38	54		3,00
	3 9-3	108	76	86	38	54		3,04
	3 1/16 9-3 1/16	109	76	86	38	54		3,10
	3 1/8 9-3 1/8	113	76	90	38	58		3,40
	3 3/16 9-3 3/16	114	76	90	38	52		3,28
	3 1/4 9-3 1/4	115	76	90	38	58		3,24
	3 5/16 9-3 5/16	116	76	90	38	51		3,27





	Nr katalogowy	D mm	d mm	L mm	t mm	T mm	 kg
	3 3/8 9-3 3/8	117	76	90	38	58	3,40
	3 7/16 9-3 7/16	120	76	90	38	50	3,37
	3 1/2 9-3 1/2	122	76	90	38	57	3,60
	3 5/8 9-3 5/8	126	76	100	45	66	4,05
	3 3/4 9-95=3 3/4	129	76	100	45	66	4,40
	3 7/8 9-3 7/8	134	76	100	45	65	4,40
	4 9-4	138	76	100	45	56	4,63
	4 1/8 9-105=4 1/8	142	76	100	50	55	4,75
	4 5/8 9-4 5/8	157	76	100	50	51	5,43
	4 3/4 9-4 3/4	161	76	100	50	50	5,73

	3/4 9-19=3/4L	35	54	100	11	71	1,30
	13/16 9-13/16L	37	54	100	12	71	0,86
	7/8 9-7/8L	38	54	100	12	71	0,87
	15/16 9-15/16L	39	54	100	14	68	0,89
	1 9-1L	42	54	100	14	68	0,93
	1 1/16 9-27=1 1/16L	44	54	100	16	68	0,99
	1 1/8 9-1 1/8L	48	54	100	24	68	1,07
	1 3/16 9-30=1 3/16L	50	54	100	17	68	1,15
	1 1/4 9-1 1/4L	53	54	100	19	68	1,17
	1 5/16 9-1 5/16L	54	54	100	19	68	1,19
	1 3/8 9-35=1 3/8L	57	54	100	20	68	1,25
	1 7/16 9-1 7/16L	58	54	100	21	68	1,31
	1 1/2 9-38=1 1/2L	59	54	100	21	68	1,32
	1 9/16 9-1 9/16L	61	54	100	22	67	1,38
	1 5/8 9-1 5/8L	63	54	100	23	67	1,41
	1 11/16 9-43=1 11/16L	64	54	100	24	67	1,46
	1 3/4 9-1 3/4L	67	54	115	24	82	1,85
	1 13/16 9-46=1 13/16L	69	54	115	25	82	1,85
	1 7/8 9-1 7/8L	72	54	115	26	82	2,00
	1 15/16 9-1 15/16L	73	54	115	28	82	2,10
	2 9-2L	76	54	125	30	93	2,30
	2 1/16 9-2 1/16L	78	54	125	30	93	2,40
	2 1/8 9-2 1/8L	80	62	125	30	93	2,60
	2 3/16 9-2 3/16L	82	62	125	30	93	2,80
	2 1/4 9-2 1/4L	85	62	125	30	93	2,80
	2 5/16 9-2 5/16L	86	62	125	30	93	2,90
	2 3/8 9-2 3/8L	87	62	125	33	93	2,90
	2 7/16 9-2 7/16L	91	62	135	35	107	3,30
	2 1/2 9-2 1/2L	92	62	135	35	107	3,55
	2 9/16 9-65=2 9/16L	94	62	135	35	107	3,63
	2 5/8 9-2 5/8L	96	62	135	38	107	3,70

	Nr katalogowy	D mm	d mm	L mm	t mm	T mm	 kg
	2 11/16 9-2 11/16L	99	62	135	38	107	3,80
	2 3/4 9-70=2 3/4L	100	62	135	38	107	3,83
	2 13/16 9-2 13/16L	102	76	135	38	100	4,25
	2 7/8 9-2 7/8L	104	76	135	38	99	4,42
	2 15/16 9-2 15/16L	107	76	135	38	99	4,62
	3 9-3L	108	76	135	38	98	4,82
	3 1/16 9-3 1/16L	109	76	135	38	98	4,71
	3 1/8 9-3 1/8L	113	76	140	38	102	5,30
	3 1/4 9-3 1/4L	115	76	140	35	101	5,31
	3 3/4 9-95=3 3/4L	129	76	140	45	98	5,83
	3 7/8 9-3 7/8L	134	76	140	45	97	6,40



	Nr katalogowy	D mm	d mm	L mm	t mm	T mm	 kg
	22 9-D6K22	37	54	59	12	27	0,62
	24 9-D6K24	38	54	59	14	27	0,61
	26 9-D6K26	43	54	59	15	27	0,63
	27 9-D6K27=1 1/16	44	54	59	16	27	0,64
	28 9-D6K28	47	54	61	16	29	0,68
	29 9-D6K29	47	54	61	17	29	0,66
	30 9-D6K30=1 3/16	50	54	61	17	29	0,68
	32 9-D6K32	52	54	61	19	29	0,68
	35 9-D6K35=1 3/8	57	54	65	20	33	0,79
	36 9-D6K36	57	54	65	20	33	0,79
	37 9-D6K37	58	54	65	21	33	0,80
	38 9-D6K38=1 1/2	59	54	65	21	33	0,82
	41 9-D6K41	63	54	70	23	38	0,95
	42 9-D6K42	64	54	70	23	38	0,97
	43 9-D6K43=1 11/16	64	54	70	24	40	0,95
	46 9-D6K46=1 13/16	69	54	75	25	42	1,12
	50 9-D6K50	75	54	80	28	48	1,36
	55 9-D6K55	81	62	83	30	50	1,74
	56 9-D6K56	82	62	83	30	52	1,78
	60 9-D6K60	87	62	83	33	52	1,90
	65 9-D6K65=2 9/16	94	62	86	35	54	2,26
	70 9-D6K70=2 3/4	100	62	86	38	54	2,44
	75 9-D6K75	107	76	86	38	54	3,02
	80 9-D6K80	113	76	90	38	58	3,11